



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

Customer: DEV Distribution
Product identity: Blue Raspberry Square 3542022DDB0000613 10mg D9 (3.75g)
Client/Metric ID: .
Laboratory ID: 23-000025-0006

Summary

Potency:

| Analyte per 3.75g | Result | Limits | Units | Status | |
|--------------------------------------|--------|--------|----------|--------|--|
| Δ8-THC per 3.75g | 0.540 | | mg/3.75g | | THC-Total per Serving Size 10.4 mg/3.75g |
| Δ9-THC per 3.75g | 10.4 | | mg/3.75g | | |
| | | | | | CBD-Total per Serving Size <LOQ |
| (Reported in milligrams per serving) | | | | | |

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

| Analyte | Result | Units | Limit | Status |
|---------|--------|-------|-------|--------|
| Lead | 0.0472 | mg/kg | 0.500 | pass |

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

Customer: DEV Distribution
Product identity: Blue Raspberry Square 3542022DDB0000613 10mg D9 (3.75g)
Client/Metric ID: .
Sample Date:
Laboratory ID: 23-000025-0006
Evidence of Cooling: No
Temp: 12.1
Relinquished by: ups
Serving Size #1: 3.75 g



Sample Results

| Potency per 3.75g | Method: J AOAC 2015 V98-6 (mod) ^b | Units mg/se | Batch: 2300116 | Analyze: 1/4/23 | 11:52:00 PM |
|----------------------|--|-------------|----------------|-----------------|-------------|
| Analyte | Result | Limits | Units | LOQ | Notes |
| CBD per 3.75g | < LOQ | | mg/3.75g | 0.121 | |
| CBD-A per 3.75g | < LOQ | | mg/3.75g | 0.121 | |
| CBD-Total per 3.75g | < LOQ | | mg/3.75g | 0.228 | |
| CBG per 3.75g | < LOQ | | mg/3.75g | 0.121 | |
| CBG-A per 3.75g | < LOQ | | mg/3.75g | 0.121 | |
| CBG-Total per 3.75g | < LOQ | | mg/3.75g | 0.226 | |
| CBN per 3.75g | < LOQ | | mg/3.75g | 0.121 | |
| Δ10-THC-9R per 3.75g | < LOQ | | mg/3.75g | 0.121 | |
| Δ8-THC per 3.75g | 0.540 | | mg/3.75g | 0.121 | |
| Δ9-THC per 3.75g | 10.4 | | mg/3.75g | 0.121 | |
| THC-A per 3.75g | < LOQ | | mg/3.75g | 0.121 | |
| THC-Total per 3.75g | 10.4 | | mg/3.75g | 0.228 | |

Microbiology

| Analyte | Result | Limits | Units | LOQ | Batch | Analyzed Method | Status | Notes |
|-------------------------|--------|--------|-------|-----|---------|---|--------|-------|
| Aerobic Plate Count | < LOQ | | cfu/g | 10 | 2300101 | 01/07/23 AOAC 990.12 (Petrifilm) ^P | | |
| E.coli | < LOQ | | cfu/g | 10 | 2300099 | 01/07/23 AOAC 991.14 (Petrifilm) ^P | | |
| Total Coliforms | < LOQ | | cfu/g | 10 | 2300099 | 01/07/23 AOAC 991.14 (Petrifilm) ^P | | |
| Mold (RAPID Petrifilm) | < LOQ | | cfu/g | 10 | 2300100 | 01/08/23 AOAC 2014.05 (RAPID) ^P | | |
| Yeast (RAPID Petrifilm) | < LOQ | | cfu/g | 10 | 2300100 | 01/08/23 AOAC 2014.05 (RAPID) ^P | | |



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

| Solvents | | | | | | | | | | | Method: Residual Solvents by GC/MS ^b | | | | | Units µg/g | | Batch 2300453 | | Analyze 01/16/23 10:28 AM | | | | |
|---------------------------|--------|--------|------|--------|-------|-----------------------------------|--------|--------|------|--------|---|--|--|--|--|------------|--|---------------|--|---------------------------|--|--|--|--|
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes | | | | | | | | | | | | | |
| 1,4-Dioxane | < LOQ | 380 | 100 | pass | | 2-Butanol | < LOQ | 5000 | 200 | pass | | | | | | | | | | | | | | |
| 2-Ethoxyethanol | < LOQ | 160 | 30.0 | pass | | 2-Methylbutane (Isopentane) | < LOQ | | 200 | | | | | | | | | | | | | | | |
| 2-Methylpentane | < LOQ | | 30.0 | | | 2-Propanol (IPA) | < LOQ | 5000 | 200 | pass | | | | | | | | | | | | | | |
| 2,2-Dimethylbutane | < LOQ | | 30.0 | | | 2,2-Dimethylpropane (neo-pentane) | < LOQ | | 200 | | | | | | | | | | | | | | | |
| 2,3-Dimethylbutane | < LOQ | | 30.0 | | | 3-Methylpentane | < LOQ | | 30.0 | | | | | | | | | | | | | | | |
| Acetone | < LOQ | 5000 | 200 | pass | | Acetonitrile | < LOQ | 410 | 100 | pass | | | | | | | | | | | | | | |
| Benzene | < LOQ | 2.00 | 1.00 | pass | | Butanes (sum) | < LOQ | 5000 | 400 | pass | | | | | | | | | | | | | | |
| Cyclohexane | < LOQ | 3880 | 200 | pass | | Ethyl acetate | < LOQ | 5000 | 200 | pass | | | | | | | | | | | | | | |
| Ethyl benzene | < LOQ | | 200 | | | Ethyl ether | < LOQ | 5000 | 200 | pass | | | | | | | | | | | | | | |
| Ethylene glycol | < LOQ | 620 | 200 | pass | | Ethylene oxide | < LOQ | 50.0 | 20.0 | pass | | | | | | | | | | | | | | |
| Hexanes (sum) | < LOQ | 290 | 150 | pass | | Isopropyl acetate | < LOQ | 5000 | 200 | pass | | | | | | | | | | | | | | |
| Isopropylbenzene (Cumene) | < LOQ | 70.0 | 30.0 | pass | | m,p-Xylene | < LOQ | | 200 | | | | | | | | | | | | | | | |
| Methanol | < LOQ | 3000 | 200 | pass | | Methylene chloride | < LOQ | 600 | 60.0 | pass | | | | | | | | | | | | | | |
| Methylpropane (Isobutane) | < LOQ | | 200 | | | n-Butane | < LOQ | | 200 | | | | | | | | | | | | | | | |
| n-Heptane | < LOQ | 5000 | 200 | pass | | n-Hexane | < LOQ | | 30.0 | | | | | | | | | | | | | | | |
| n-Pentane | < LOQ | | 200 | | | o-Xylene | < LOQ | | 200 | | | | | | | | | | | | | | | |
| Pentanes (sum) | < LOQ | 5000 | 600 | pass | | Propane | < LOQ | 5000 | 200 | pass | | | | | | | | | | | | | | |
| Tetrahydrofuran | < LOQ | 720 | 100 | pass | | Toluene | < LOQ | 890 | 100 | pass | | | | | | | | | | | | | | |
| Total Xylenes | < LOQ | | 400 | | | Total Xylenes and Ethyl benzene | < LOQ | 2170 | 600 | pass | | | | | | | | | | | | | | |


Pesticides **Method:** AOAC 2007.01 & EN 15662 (mod)^b **Units** mg/kg **Batch** 2300273 **Analyze** 01/10/23 10:42 AM

| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
|-------------------------------|--------|--------|-------|--------|-------|----------------------------------|--------|--------|-------|--------|-------|
| Abamectin [‡] | < LOQ | 0.50 | 0.250 | pass | | Acephate [‡] | < LOQ | 0.40 | 0.200 | pass | |
| Acequinocyl [‡] | < LOQ | 2.0 | 1.00 | pass | | Acetamiprid [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Aldicarb [‡] | < LOQ | 0.40 | 0.200 | pass | | Azoxystrobin [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Bifenazate [‡] | < LOQ | 0.20 | 0.100 | pass | | Bifenthrin [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Boscalid [‡] | < LOQ | 0.40 | 0.200 | pass | | Carbaryl [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Carbofuran [‡] | < LOQ | 0.20 | 0.100 | pass | | Chlorantraniliprole [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Chlorfenapyr [‡] | < LOQ | 1.0 | 0.500 | pass | | Chlorpyrifos [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Clofentezine [‡] | < LOQ | 0.20 | 0.100 | pass | | Cyfluthrin [‡] | < LOQ | 1.0 | 0.500 | pass | |
| Cypermethrin [‡] | < LOQ | 1.0 | 0.500 | pass | | Daminozide [‡] | < LOQ | 1.0 | 0.500 | pass | |
| Diazinon [‡] | < LOQ | 0.20 | 0.100 | pass | | Dichlorvos [‡] | < LOQ | 1.0 | 0.500 | pass | |
| Dimethoate [‡] | < LOQ | 0.20 | 0.100 | pass | | Ethoprophos [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Etofenprox [‡] | < LOQ | 0.40 | 0.200 | pass | | Etoxazole [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Fenoxycarb [‡] | < LOQ | 0.20 | 0.100 | pass | | Fenpyroximate [‡] | < LOQ | 0.40 | 0.200 | pass | |
| Fipronil [‡] | < LOQ | 0.40 | 0.200 | pass | | Flonicamid [‡] | < LOQ | 1.0 | 0.400 | pass | |
| Fludioxonil [‡] | < LOQ | 0.40 | 0.200 | pass | | Hexythiazox [‡] | < LOQ | 1.0 | 0.400 | pass | |
| Imazalil [‡] | < LOQ | 0.20 | 0.100 | pass | | Imidacloprid [‡] | < LOQ | 0.40 | 0.200 | pass | |
| Kresoxim-methyl [‡] | < LOQ | 0.40 | 0.200 | pass | | Malathion [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Metalaxyl [‡] | < LOQ | 0.20 | 0.100 | pass | | Methiocarb [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Methomyl [‡] | < LOQ | 0.40 | 0.200 | pass | | MGK-264 [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Myclobutanil [‡] | < LOQ | 0.20 | 0.100 | pass | | Naled [‡] | < LOQ | 0.50 | 0.250 | pass | |
| Oxamyl [‡] | < LOQ | 1.0 | 0.500 | pass | | Pacllobutrazole [‡] | < LOQ | 0.40 | 0.200 | pass | |
| Parathion-Methyl [‡] | < LOQ | 0.20 | 0.100 | pass | | Permethrin [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Phosmet [‡] | < LOQ | 0.20 | 0.100 | pass | | Piperonyl butoxide [‡] | < LOQ | 2.0 | 1.00 | pass | |
| Prallethrin [‡] | < LOQ | 0.20 | 0.100 | pass | | Propiconazole [‡] | < LOQ | 0.40 | 0.200 | pass | |
| Propoxur [‡] | < LOQ | 0.20 | 0.100 | pass | | Pyrethrin I (total) [‡] | < LOQ | 1.0 | 0.500 | pass | |
| Pyridaben [‡] | < LOQ | 0.20 | 0.100 | pass | | Spinosad [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Spiromesifen [‡] | < LOQ | 0.20 | 0.100 | pass | | Spirotetramat [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Spiroxamine [‡] | < LOQ | 0.40 | 0.200 | pass | | Tebuconazole [‡] | < LOQ | 0.40 | 0.200 | pass | |
| Thiacloprid [‡] | < LOQ | 0.20 | 0.100 | pass | | Thiamethoxam [‡] | < LOQ | 0.20 | 0.100 | pass | |
| Trifloxystrobin [‡] | < LOQ | 0.20 | 0.100 | pass | | | | | | | |

Metals

| Analyte | Result | Limits | Units | LOQ | Batch | Analyzed Method | Status | Notes |
|---------|--------|--------|-------|---------|---------|---|--------|-------|
| Arsenic | < LOQ | 0.200 | mg/kg | 0.0163 | 2300352 | 01/11/23 AOAC 2013.06 (mod.) ^b | pass | |
| Cadmium | < LOQ | 0.200 | mg/kg | 0.0163 | 2300352 | 01/11/23 AOAC 2013.06 (mod.) ^b | pass | |
| Lead | 0.0472 | 0.500 | mg/kg | 0.0163 | 2300352 | 01/11/23 AOAC 2013.06 (mod.) ^b | pass | |
| Mercury | < LOQ | 0.100 | mg/kg | 0.00816 | 2300352 | 01/11/23 AOAC 2013.06 (mod.) ^b | pass | |



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓐ = ISO/IEC 17025:2017 accredited method.

Ⓜ = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

g = g

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/3.75g = Milligram per 3.75g

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31



Hemp & Cannabis: Usable / Extract / Finished Product
Chain of Custody Record

ORELAP ID: OR100028 ANAB ISO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5
Effective: 01/04/2022

DEV DISTRIBUTION

23-000025



DEV Distribution

| Company: Dev Distribution Contact: Deanna Petrin Address: 8101 Royal Ridge Parkway City: Irving State: TX Zip Code: 75063 <input checked="" type="checkbox"/> Email Results: DROPBOX deanna@dev-nutra.com <input checked="" type="checkbox"/> Ph: (469) - 373 - 3200 <i>Billing Contact (if different)</i> Name: CC AUTH ON FILE Email: Address: City: State: Zip: Ph: () - | | | Analysis Requested Pesticides Oregon (P2120) <input type="checkbox"/> Residual Solvents Oregon (H0008) <input type="checkbox"/> Heavy Metals (H0013) <input type="checkbox"/> Mycotoxins (H0042) <input type="checkbox"/> Micro Profile D (M1010) <input type="checkbox"/> Terpenes (H0030) <input type="checkbox"/> Potency - Basic (H0014) <input type="checkbox"/> Potency Basic + Expanded (H0010) <input type="checkbox"/> Potency Basic + ADCs (H0015) <input type="checkbox"/> Other: | | | | | | | | Custom Reporting: Source Material: <input checked="" type="checkbox"/> - Ind. Hemp product <input type="checkbox"/> - Rec. Cannabis Reporting Type: <input type="checkbox"/> - Compliance <input checked="" type="checkbox"/> - R&D Report to: <input type="checkbox"/> - METRC <input type="checkbox"/> - ODA <input type="checkbox"/> - USDA <input type="checkbox"/> - Other: Turnaround time (TAT - Business Days): <input type="checkbox"/> - 5BD <input checked="" type="checkbox"/> - 3BD* <input type="checkbox"/> - 2BD* <i>*Check for availability</i> | | | | |
|---|--|-------------|---|----------------------------------|----------------------|--------------------|-------------------------|--|-------------------------|----------------------------------|--|--------|-----------------|----------------|-----------------------------|
| Lab ID | Client Sample Identification | Sample date | Pesticides Oregon (P2120) | Residual Solvents Oregon (H0008) | Heavy Metals (H0013) | Mycotoxins (H0042) | Micro Profile D (M1010) | Terpenes (H0030) | Potency - Basic (H0014) | Potency Basic + Expanded (H0010) | Potency Basic + ADCs (H0015) | Other: | Material Type † | Weight (Units) | Comments/Metric ID |
| | Mango Square 3552022DDB0000616 50mg D8 (3.3g) | 12/22/22 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | E | 40-36.9g | Contains Active as Noted |
| | Strawberry Square 3542022DDB0000614 10mg D9 (3.75g) | 12/21/22 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | E | 40-36.9g | Please report in mg/serving |
| | Pineapple Square 3532022DDB0000611 10mg D9 10mg CBD (3.75g) | 12/19/22 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | E | 40-36.9g | Standard Serving Sizes: |
| | Blue Raspberry Square 3532022DDB0000610 10mg D9 10mg CBD (3.75g) | 12/19/22 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | E | 40-36.9g | D8: 3.3g |
| | Blue Raspberry Square 3552022DDB0000615 25mg D8 (3.3g) | 12/22/22 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | E | 40-36.9g | D9: 3.75g/3.3g |
| | Blue Raspberry Square 3542022DDB0000613 10mg D9 (3.75g) | 12/20/22 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | E | 40-36.9g | HHC: 3.3g |
| | Mango Square 3532022DDB0000612 10mg D9 10mg CBD (3.75g) | 12/20/22 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | E | 40-36.9g | D10: 3.3g |
| | | | | | | | | | | | | | | | THCO: 3.3g |
| | | | | | | | | | | | | | | | CBD: 3.3g |
| | | | | | | | | | | | | | | | Mother Liquor: 3.3g |
| | | | | | | | | | | | | | | | Diamonds: 5g |
| | | | | | | | | | | | | | | | Hearts: 6g |
| Signature - Relinquished By: | | Date | Time | Signature - Received By: | | Date | Time | Lab Use Only: | | | | | | | |
| Deanna Petrin | | 12/27/22 | 11:28a.m. | RBS | | 01/03/23 | 10:31 | <input checked="" type="checkbox"/> Shipped Via: UPS or <input type="checkbox"/> Client drop off Evidence of cooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No - Temp (°C): 12.1 Sample in good condition: <input type="checkbox"/> Yes <input type="checkbox"/> No Payment: <input type="checkbox"/> Cash <input type="checkbox"/> Check <input type="checkbox"/> CC <input type="checkbox"/> Net: Prelog storage: | | | | | | | |

† - Material Type Codes: Plant Material (P) ; Isolate (I) ; Concentrate/Extract (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B) ; Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms

12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452
info@columbialaboratories.com

Page 1 of 1
www.columbialaboratories.com



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-00025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2300116

| Laboratory Control Sample | | | | | | | | | |
|---------------------------|-----|--------|--------|-------|-------|--------|-------|------------|-------|
| Analyte | LCS | Result | Spike | Units | % Rec | Limits | | Evaluation | Notes |
| CBDVA | 2 | 0.0350 | 0.0337 | % | 104 | 80.0 | - 120 | Acceptable | |
| CBDV | 2 | 0.0378 | 0.0367 | % | 103 | 80.0 | - 120 | Acceptable | |
| CBE | 2 | 0.0365 | 0.0355 | % | 103 | 80.0 | - 120 | Acceptable | |
| CBDA | 1 | 0.0340 | 0.0344 | % | 98.7 | 90.0 | - 110 | Acceptable | |
| CBGA | 1 | 0.0342 | 0.0345 | % | 99.4 | 80.0 | - 120 | Acceptable | |
| CBG | 1 | 0.0341 | 0.0346 | % | 98.8 | 80.0 | - 120 | Acceptable | |
| CBD | 1 | 0.0345 | 0.0347 | % | 99.5 | 90.0 | - 110 | Acceptable | |
| THCV | 2 | 0.0369 | 0.0351 | % | 105 | 80.0 | - 120 | Acceptable | |
| d8THCV | 2 | 0.0363 | 0.0356 | % | 102 | 80.0 | - 120 | Acceptable | |
| THCVA | 2 | 0.0340 | 0.0329 | % | 103 | 80.0 | - 120 | Acceptable | |
| CBN | 1 | 0.0354 | 0.0357 | % | 99.2 | 80.0 | - 120 | Acceptable | |
| exo-THC | 2 | 0.0351 | 0.0342 | % | 103 | 80.0 | - 120 | Acceptable | |
| d9THC | 1 | 0.0376 | 0.0372 | % | 101 | 90.0 | - 110 | Acceptable | |
| d8THC | 1 | 0.0347 | 0.0360 | % | 96.5 | 90.0 | - 110 | Acceptable | |
| CBL | 2 | 0.0357 | 0.0333 | % | 107 | 80.0 | - 120 | Acceptable | |
| d10THC | 1 | NA | 0.0333 | % | NA | 80.0 | - 120 | Acceptable | Q6 |
| CBG | 2 | 0.0365 | 0.0364 | % | 100 | 80.0 | - 120 | Acceptable | |
| THCA | 1 | 0.0347 | 0.0340 | % | 102 | 90.0 | - 110 | Acceptable | |
| CBCA | 2 | 0.0355 | 0.0343 | % | 103 | 80.0 | - 120 | Acceptable | |
| CBLA | 2 | 0.0359 | 0.0349 | % | 103 | 80.0 | - 120 | Acceptable | |
| CBT | 2 | 0.0367 | 0.0363 | % | 101 | 80.0 | - 120 | Acceptable | |

| Method Blank | | | | | | |
|--------------|--------|-------|-------|---------|------------|-------|
| Analyte | Result | LOQ | Units | Limits | Evaluation | Notes |
| CBDVA | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBDV | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBE | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBDA | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBGA | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBG | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBD | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| THCV | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| d8THCV | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| THCVA | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBN | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| exo-THC | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| d9THC | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| d8THC | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBL | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| d10THC | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBG | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| THCA | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBCA | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBLA | <LOQ | 0.003 | % | < 0.003 | Acceptable | |
| CBT | <LOQ | 0.003 | % | < 0.003 | Acceptable | |

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

| J AOAC 2015 V98-6 | | Batch ID: 2300116 | | | | | | |
|-------------------|--------|---------------------------|-------|-------|-------|--------|------------|-------|
| Sample Duplicate | | Sample ID: 22-015703-0002 | | | | | | |
| Analyte | Result | Org. Result | LOQ | Units | RPD | Limits | Evaluation | Notes |
| CBDVA | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBDV | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBE | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBDA | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBGA | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBG | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBD | 0.221 | 0.217 | 0.003 | % | 1.72 | < 20 | Acceptable | |
| THCV | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| d8THCV | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| THCVA | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBN | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| exo-THC | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| d9THC | 0.247 | 0.246 | 0.003 | % | 0.387 | < 20 | Acceptable | |
| d8THC | 0.0629 | 0.0581 | 0.003 | % | 8.01 | < 20 | Acceptable | |
| CBL | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| d10THC | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBC | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| THCA | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBCA | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBLA | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |
| CBT | <LOQ | <LOQ | 0.003 | % | NA | < 20 | Acceptable | |

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-00025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

Revision: 3 Document ID: 3120
 Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

Laboratory Pesticide Quality Control Results

| AOAC 2007.1 & EN 15662 | | Units: mg/Kg | | | Batch ID: 2300273 | | | |
|------------------------|--------------|---------------------------|-------|------------|-------------------|-----------|--------|-------|
| Method Blank | | Laboratory Control Sample | | | | | | |
| Analyte | Blank Result | Blank Limits | Notes | LCS Result | LCS Spike | LCS % Rec | Limits | Notes |
| Abamectin | 0.000 | < 0.250 | | 1.003 | 1.000 | 100.3 | 50.0 | 150 |
| Acephate | 0.000 | < 0.200 | | 0.767 | 0.800 | 95.8 | 60.0 | 120 |
| Acetaminocyl | 0.000 | < 1.000 | | 3.914 | 4.000 | 97.9 | 40.0 | 160 |
| Acetamiprid | 0.000 | < 0.100 | | 0.388 | 0.400 | 97.1 | 60.0 | 120 |
| Aldicarb | 0.000 | < 0.200 | | 0.834 | 0.800 | 104.3 | 60.0 | 120 |
| Azoxystrobin | 0.000 | < 0.100 | | 0.381 | 0.400 | 95.3 | 60.0 | 120 |
| Bifenazate | 0.000 | < 0.100 | | 0.429 | 0.400 | 107.4 | 60.0 | 120 |
| Bifenthrin | 0.000 | < 0.100 | | 0.397 | 0.400 | 99.2 | 50.0 | 150 |
| Boscalid | 0.000 | < 0.200 | | 0.780 | 0.800 | 97.5 | 60.0 | 120 |
| Carbaryl | 0.000 | < 0.100 | | 0.394 | 0.400 | 98.5 | 60.0 | 120 |
| Carbofuran | 0.000 | < 0.100 | | 0.391 | 0.400 | 97.7 | 60.0 | 120 |
| Chlorantraniliprole | 0.000 | < 0.100 | | 0.397 | 0.400 | 99.2 | 60.0 | 120 |
| Chlorfenapyr | 0.000 | < 0.500 | | 1.974 | 2.000 | 98.7 | 60.0 | 120 |
| Chlorpyrifos | 0.000 | < 0.100 | | 0.370 | 0.400 | 92.6 | 60.0 | 120 |
| Clofentazine | 0.000 | < 0.100 | | 0.289 | 0.400 | 72.1 | 60.0 | 120 |
| Cyfluthrin | 0.000 | < 0.500 | | 1.965 | 2.000 | 98.2 | 50.0 | 150 |
| Cypermethrin | 0.000 | < 0.500 | | 1.915 | 2.000 | 95.8 | 50.0 | 150 |
| Daminozide | 0.000 | < 0.500 | | 0.674 | 2.000 | 33.7 | 60.0 | 120 |
| Diazinon | 0.000 | < 0.100 | | 0.410 | 0.400 | 102.5 | 60.0 | 120 |
| Dichlorvos | 0.000 | < 0.500 | | 1.953 | 2.000 | 97.6 | 60.0 | 120 |
| Dimethoate | 0.000 | < 0.100 | | 0.403 | 0.400 | 100.7 | 60.0 | 120 |
| Ethoprophos | 0.000 | < 0.100 | | 0.392 | 0.400 | 98.0 | 60.0 | 120 |
| Etofenprox | 0.000 | < 0.200 | | 0.760 | 0.800 | 95.0 | 50.0 | 150 |
| Etoxazole | 0.000 | < 0.100 | | 0.400 | 0.400 | 100.1 | 60.0 | 120 |
| Fenoxycarb | 0.000 | < 0.100 | | 0.389 | 0.400 | 97.1 | 60.0 | 120 |
| Fenpyroximate | 0.000 | < 0.200 | | 0.767 | 0.800 | 95.9 | 60.0 | 120 |
| Fipronil | 0.000 | < 0.200 | | 0.814 | 0.800 | 101.8 | 60.0 | 120 |
| Fonicamid | 0.000 | < 0.250 | | 1.026 | 1.000 | 102.6 | 60.0 | 120 |
| Fludioxonil | 0.000 | < 0.200 | | 0.807 | 0.800 | 100.9 | 50.0 | 150 |
| Hexythiazox | 0.000 | < 0.250 | | 0.961 | 1.000 | 96.1 | 60.0 | 120 |
| Imazalil | 0.000 | < 0.100 | | 0.402 | 0.400 | 100.6 | 60.0 | 120 |
| Imidacloprid | 0.000 | < 0.200 | | 0.796 | 0.800 | 99.4 | 60.0 | 120 |
| Kresoxim-methyl | 0.000 | < 0.200 | | 0.803 | 0.800 | 100.4 | 60.0 | 120 |
| Malathion | 0.000 | < 0.100 | | 0.392 | 0.400 | 98.1 | 60.0 | 120 |
| Metaxalyl | 0.000 | < 0.100 | | 0.400 | 0.400 | 100.0 | 60.0 | 120 |
| Methiocarb | 0.000 | < 0.100 | | 0.399 | 0.400 | 99.8 | 60.0 | 120 |
| Methomyl | 0.000 | < 0.200 | | 0.819 | 0.800 | 102.4 | 60.0 | 120 |
| MGK-264 | 0.000 | < 0.100 | | 0.395 | 0.400 | 98.6 | 50.0 | 150 |
| Myclobutanil | 0.000 | < 0.100 | | 0.398 | 0.400 | 99.6 | 60.0 | 120 |
| Naled | 0.000 | < 0.250 | | 0.984 | 1.000 | 98.4 | 50.0 | 150 |
| Oxamyl | 0.000 | < 0.500 | | 2.004 | 2.000 | 100.2 | 60.0 | 120 |
| Pacllobutrazole | 0.000 | < 0.200 | | 0.783 | 0.800 | 97.9 | 60.0 | 120 |
| Parathion-Methyl | 0.000 | < 0.100 | | 0.409 | 0.400 | 102.2 | 50.0 | 150 |
| Permethrin | 0.000 | < 0.100 | | 0.383 | 0.400 | 95.8 | 50.0 | 150 |
| Phosmet | 0.000 | < 0.100 | | 0.401 | 0.400 | 100.3 | 50.0 | 150 |
| Piperonyl butoxide | 0.000 | < 0.500 | | 2.064 | 2.000 | 103.2 | 60.0 | 120 |
| Prallethrin | 0.000 | < 0.100 | | 0.402 | 0.400 | 100.4 | 60.0 | 120 |
| Propiconazole | 0.000 | < 0.200 | | 0.815 | 0.800 | 101.9 | 60.0 | 120 |
| Propoxur | 0.000 | < 0.100 | | 0.399 | 0.400 | 99.9 | 60.0 | 120 |
| Pyrethrin (Summe) | 0.001 | < 0.100 | | 0.490 | 0.488 | 100.4 | 60.0 | 120 |
| Pyridaben | 0.000 | < 0.100 | | 0.386 | 0.400 | 96.6 | 50.0 | 150 |
| Spirosad | 0.000 | < 0.100 | | 0.381 | 0.388 | 98.2 | 50.0 | 150 |
| Spiromesifen | 0.000 | < 0.100 | | 0.383 | 0.400 | 95.9 | 60.0 | 120 |
| Spirotetramat | 0.000 | < 0.100 | | 0.385 | 0.400 | 96.2 | 60.0 | 120 |
| Spiroxamine | 0.000 | < 0.200 | | 0.788 | 0.800 | 98.5 | 60.0 | 120 |
| Tebuconazole | 0.000 | < 0.200 | | 0.800 | 0.800 | 100.0 | 60.0 | 120 |
| Thiacloprid | 0.000 | < 0.100 | | 0.395 | 0.400 | 98.8 | 60.0 | 120 |
| Thiamethoxam | 0.000 | < 0.100 | | 0.414 | 0.400 | 103.6 | 60.0 | 120 |
| Trifloxystrobin | 0.000 | < 0.100 | | 0.393 | 0.400 | 98.2 | 60.0 | 120 |

Q6



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

Revision: 3 Document ID: 3120
Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

Laboratory Pesticide Quality Control Results

| AOAC 2007.1 & EN 15662 | | Units: mg/Kg | | | | | Batch ID: 2300273 | | | |
|--|--------|---------------------------|---------|-------|------|-------|-------------------|-----------|----------|-------|
| Matrix Spike/Matrix Spike Duplicate Recoveries | | Sample ID: 23-000025-0001 | | | | | | | | |
| Analyte | Result | MS Res | MSD Res | Spike | RPD% | Limit | MS % Rec | MSD % Rec | Limits | Notes |
| Abamectin | 0.000 | 0.938 | 0.979 | 1.000 | 4.2% | < 30 | 93.8% | 97.9% | 50 - 150 | |
| Acephate | 0.000 | 0.746 | 0.743 | 0.800 | 0.4% | < 30 | 93.3% | 92.9% | 50 - 150 | |
| Acequinocyl | 0.000 | 3.577 | 3.754 | 4.000 | 4.8% | < 30 | 89.4% | 93.9% | 50 - 150 | |
| Acetamiprid | 0.000 | 0.383 | 0.383 | 0.400 | 0.2% | < 30 | 95.9% | 95.7% | 50 - 150 | |
| Aldicarb | 0.000 | 0.809 | 0.823 | 0.800 | 1.7% | < 30 | 101.2% | 102.8% | 50 - 150 | |
| Azoxystrobin | 0.000 | 0.369 | 0.371 | 0.400 | 0.5% | < 30 | 92.2% | 92.6% | 50 - 150 | |
| Bifenazate | 0.000 | 0.386 | 0.397 | 0.400 | 2.8% | < 30 | 96.5% | 99.3% | 50 - 150 | |
| Bifenthrin | 0.000 | 0.362 | 0.373 | 0.400 | 3.1% | < 30 | 90.5% | 93.3% | 50 - 150 | |
| Boscalid | 0.000 | 0.758 | 0.766 | 0.800 | 1.1% | < 30 | 94.8% | 95.8% | 50 - 150 | |
| Carbaryl | 0.000 | 0.377 | 0.391 | 0.400 | 3.6% | < 30 | 94.3% | 97.7% | 50 - 150 | |
| Carbofuran | 0.000 | 0.368 | 0.380 | 0.400 | 3.1% | < 30 | 92.0% | 94.9% | 50 - 150 | |
| Chlorantraniliprole | 0.000 | 0.375 | 0.391 | 0.400 | 4.1% | < 30 | 93.8% | 97.8% | 50 - 150 | |
| Chlorfenapyr | 0.000 | 1.900 | 1.861 | 2.000 | 2.1% | < 30 | 95.0% | 93.1% | 50 - 150 | |
| Chlorpyrifos | 0.000 | 0.333 | 0.345 | 0.400 | 3.4% | < 30 | 83.4% | 86.2% | 50 - 150 | |
| Clofentezine | 0.000 | 0.054 | 0.052 | 0.400 | 3.8% | < 30 | 13.4% | 12.9% | 50 - 150 | Q |
| Cyfluthrin | 0.000 | 1.975 | 2.108 | 2.000 | 6.5% | < 30 | 98.8% | 105.4% | 30 - 150 | |
| Cypermethrin | 0.000 | 1.931 | 2.012 | 2.000 | 4.1% | < 30 | 96.5% | 100.6% | 50 - 150 | |
| Daminozide | 0.000 | 0.650 | 0.672 | 2.000 | 3.3% | < 30 | 32.5% | 33.6% | 30 - 150 | |
| Diazinon | 0.000 | 0.324 | 0.341 | 0.400 | 5.1% | < 30 | 81.0% | 85.2% | 50 - 150 | |
| Dichlorvos | 0.000 | 1.890 | 1.963 | 2.000 | 3.8% | < 30 | 94.5% | 98.1% | 50 - 150 | |
| Dimethoate | 0.000 | 0.381 | 0.389 | 0.400 | 1.9% | < 30 | 95.3% | 97.2% | 50 - 150 | |
| Ethoprophos | 0.000 | 0.375 | 0.376 | 0.400 | 0.1% | < 30 | 93.8% | 93.9% | 50 - 150 | |
| Etofenprox | 0.000 | 0.709 | 0.728 | 0.800 | 2.6% | < 30 | 88.6% | 91.0% | 50 - 150 | |
| Etoxazole | 0.000 | 0.363 | 0.375 | 0.400 | 3.4% | < 30 | 90.6% | 93.8% | 50 - 150 | |
| Fenoxycarb | 0.000 | 0.368 | 0.373 | 0.400 | 1.3% | < 30 | 92.0% | 93.2% | 50 - 150 | |
| Fenpyroximate | 0.000 | 0.808 | 0.826 | 0.800 | 2.3% | < 30 | 101.0% | 103.3% | 50 - 150 | |
| Fipronil | 0.000 | 0.865 | 0.903 | 0.800 | 4.3% | < 30 | 108.1% | 112.9% | 50 - 150 | |
| Fonicamid | 0.000 | 1.014 | 1.030 | 1.000 | 1.6% | < 30 | 101.4% | 103.0% | 50 - 150 | |
| Fludioxonil | 0.000 | 0.765 | 0.758 | 0.800 | 0.9% | < 30 | 95.6% | 94.8% | 50 - 150 | |
| Hexythiazox | 0.000 | 0.831 | 0.824 | 1.000 | 0.9% | < 30 | 83.1% | 82.4% | 50 - 150 | |
| Imazalil | 0.000 | 0.379 | 0.390 | 0.400 | 2.9% | < 30 | 94.8% | 97.6% | 50 - 150 | |
| Imidacloprid | 0.000 | 0.739 | 0.764 | 0.800 | 3.4% | < 30 | 92.4% | 95.5% | 50 - 150 | |
| Kresoxim-methyl | 0.000 | 0.740 | 0.761 | 0.800 | 2.8% | < 30 | 92.5% | 95.2% | 50 - 150 | |
| Malathion | 0.000 | 0.370 | 0.383 | 0.400 | 3.4% | < 30 | 92.6% | 95.8% | 50 - 150 | |
| Metaxalyl | 0.000 | 0.380 | 0.382 | 0.400 | 0.4% | < 30 | 95.1% | 95.5% | 50 - 150 | |
| Methiocarb | 0.000 | 0.379 | 0.386 | 0.400 | 1.9% | < 30 | 94.7% | 96.5% | 50 - 150 | |
| Methomyl | 0.000 | 0.817 | 0.811 | 0.800 | 0.8% | < 30 | 102.1% | 101.3% | 50 - 150 | |
| MGK-264 | 0.000 | 0.369 | 0.369 | 0.400 | 0.1% | < 30 | 92.2% | 92.3% | 50 - 150 | |
| Myclobutanil | 0.000 | 0.366 | 0.388 | 0.400 | 5.8% | < 30 | 91.5% | 97.0% | 50 - 150 | |
| Naled | 0.000 | 0.930 | 0.963 | 1.000 | 3.5% | < 30 | 93.0% | 96.3% | 50 - 150 | |
| Oxamyl | 0.000 | 1.968 | 2.071 | 2.000 | 5.1% | < 30 | 98.4% | 103.5% | 50 - 150 | |
| Pacllobutrazole | 0.000 | 0.755 | 0.776 | 0.800 | 2.7% | < 30 | 94.4% | 97.0% | 50 - 150 | |
| Parathion-Methyl | 0.000 | 0.384 | 0.407 | 0.400 | 6.0% | < 30 | 95.9% | 101.8% | 30 - 150 | |
| Permethrin | 0.000 | 0.363 | 0.385 | 0.400 | 5.9% | < 30 | 90.6% | 96.2% | 50 - 150 | |
| Phosmet | 0.000 | 0.378 | 0.375 | 0.400 | 0.6% | < 30 | 94.4% | 93.8% | 50 - 150 | |
| Piperonyl butoxide | 0.000 | 1.815 | 1.959 | 2.000 | 7.6% | < 30 | 90.8% | 98.0% | 50 - 150 | |
| Prallethrin | 0.000 | 0.369 | 0.382 | 0.400 | 3.6% | < 30 | 92.2% | 95.6% | 50 - 150 | |
| Propiconazole | 0.000 | 0.751 | 0.766 | 0.800 | 1.9% | < 30 | 93.9% | 95.8% | 50 - 150 | |
| Propoxur | 0.000 | 0.379 | 0.389 | 0.400 | 2.6% | < 30 | 94.7% | 97.2% | 50 - 150 | |
| Pyrethrin (Summe) | 0.000 | 0.631 | 0.643 | 0.488 | 1.9% | < 30 | 129.3% | 131.7% | 50 - 150 | |
| Pyridaben | 0.000 | 0.369 | 0.372 | 0.400 | 1.0% | < 30 | 92.2% | 93.1% | 50 - 150 | |
| Spirosad | 0.000 | 0.365 | 0.379 | 0.388 | 3.7% | < 30 | 94.1% | 97.6% | 50 - 150 | |
| Spiromesifen | 0.000 | 0.360 | 0.372 | 0.400 | 3.3% | < 30 | 89.9% | 93.0% | 50 - 150 | |
| Spirotetramat | 0.000 | 0.367 | 0.371 | 0.400 | 1.0% | < 30 | 91.8% | 92.8% | 50 - 150 | |
| Spiroxamine | 0.000 | 0.749 | 0.773 | 0.800 | 3.2% | < 30 | 93.6% | 96.7% | 50 - 150 | |
| Tebuconazole | 0.000 | 0.762 | 0.767 | 0.800 | 0.8% | < 30 | 95.2% | 95.9% | 50 - 150 | |
| Thiacloprid | 0.000 | 0.380 | 0.390 | 0.400 | 2.4% | < 30 | 95.1% | 97.4% | 50 - 150 | |
| Thiamethoxam | 0.000 | 0.410 | 0.410 | 0.400 | 0.1% | < 30 | 102.5% | 102.5% | 50 - 150 | |
| Trifloxystrobin | 0.000 | 0.336 | 0.351 | 0.400 | 4.3% | < 30 | 84.1% | 87.8% | 50 - 150 | |



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-00025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31



Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

| Residual Solvents | | | | Batch ID: 2300453 | | | | | |
|-----------------------|--------|-------|-------|---------------------------|-------|-------|-------|--------|----------|
| Method Blank | | | | Laboratory Control Sample | | | | | |
| Analyte | Result | LOQ | Notes | Result | Spike | Units | % Rec | Limits | Notes |
| Propane | ND | < 200 | | 584 | 572 | µg/g | 102.1 | 60 | - 120 |
| Isobutane | ND | < 200 | | 708 | 731 | µg/g | 96.9 | 60 | - 120 |
| Butane | ND | < 200 | | 687 | 731 | µg/g | 94.0 | 60 | - 120 |
| 2,2-Dimethylpropane | ND | < 200 | | 933 | 936 | µg/g | 99.7 | 60 | - 120 |
| Methanol | ND | < 200 | | 1650 | 1620 | µg/g | 101.9 | 60 | - 120 |
| Ethylene Oxide | ND | < 30 | | 56.3 | 56.2 | µg/g | 100.2 | 60 | - 120 |
| 2-Methylbutane | ND | < 200 | | 1370 | 1610 | µg/g | 85.1 | 60 | - 120 |
| Pentane | ND | < 200 | | 1350 | 1600 | µg/g | 84.4 | 60 | - 120 |
| Ethanol | ND | < 200 | | 1410 | 1610 | µg/g | 87.6 | 70 | - 130 |
| Ethyl Ether | ND | < 200 | | 1460 | 1630 | µg/g | 89.6 | 60 | - 120 |
| 2,2-Dimethylbutane | ND | < 30 | | 146 | 171 | µg/g | 85.4 | 60 | - 120 |
| Acetone | ND | < 200 | | 1520 | 1630 | µg/g | 93.3 | 60 | - 120 |
| 2-Propanol | ND | < 200 | | 1630 | 1620 | µg/g | 100.6 | 60 | - 120 |
| Ethyl Formate | ND | < 500 | | 1650 | 1670 | µg/g | 98.8 | 70 | - 130 |
| Acetonitrile | ND | < 100 | | 456 | 498 | µg/g | 91.6 | 60 | - 120 |
| Methyl Acetate | ND | < 500 | | 1600 | 1730 | µg/g | 92.5 | 70 | - 130 |
| 2,3-Dimethylbutane | ND | < 30 | | 155 | 171 | µg/g | 90.6 | 60 | - 120 |
| Dichloromethane | ND | < 60 | | 449 | 483 | µg/g | 93.0 | 60 | - 120 |
| 2-Methylpentane | ND | < 30 | | 144 | 168 | µg/g | 85.7 | 60 | - 120 |
| MTBE | ND | < 500 | | 1550 | 1650 | µg/g | 93.9 | 70 | - 130 |
| 3-Methylpentane | ND | < 30 | | 137 | 167 | µg/g | 82.0 | 60 | - 120 |
| Hexane | ND | < 30 | | 202 | 182 | µg/g | 111.0 | 60 | - 120 |
| 1-Propanol | ND | < 500 | | 1690 | 1620 | µg/g | 104.3 | 70 | - 130 |
| Methylethylketone | ND | < 500 | | 1600 | 1620 | µg/g | 98.8 | 70 | - 130 |
| Ethyl acetate | ND | < 200 | | 1610 | 1610 | µg/g | 100.0 | 60 | - 120 |
| 2-Butanol | ND | < 200 | | 1600 | 1600 | µg/g | 100.0 | 60 | - 120 |
| Tetrahydrofuran | ND | < 100 | | 384 | 483 | µg/g | 79.5 | 60 | - 120 |
| Cyclohexane | ND | < 200 | | 1370 | 1610 | µg/g | 85.1 | 60 | - 120 |
| 2-methyl-1-propanol | ND | < 500 | | 1780 | 1620 | µg/g | 109.9 | 70 | - 130 |
| Benzene | ND | < 1 | | 5.06 | 5.02 | µg/g | 100.8 | 60 | - 120 |
| Isopropyl Acetate | ND | < 200 | | 1510 | 1620 | µg/g | 93.2 | 60 | - 120 |
| Heptane | ND | < 200 | | 1520 | 1610 | µg/g | 94.4 | 60 | - 120 |
| 1-Butanol | ND | < 500 | | 1620 | 1630 | µg/g | 99.4 | 70 | - 130 |
| Propyl Acetate | ND | < 500 | | 1660 | 1610 | µg/g | 103.1 | 70 | - 130 |
| 1,4-Dioxane | ND | < 100 | | 368 | 491 | µg/g | 74.9 | 60 | - 120 |
| 2-Ethoxyethanol | ND | < 30 | | 345 | 181 | µg/g | 190.6 | 60 | - 120 Q1 |
| Methylisobutylketone | ND | < 500 | | 1730 | 1620 | µg/g | 106.8 | 70 | - 130 |
| 3-Methyl-1-butanol | ND | < 500 | | 1420 | 1630 | µg/g | 87.1 | 70 | - 130 |
| Ethylene Glycol | ND | < 200 | | 374 | 484 | µg/g | 77.3 | 60 | - 120 |
| Toluene | ND | < 100 | | 405 | 485 | µg/g | 83.5 | 60 | - 120 |
| Isobutyl Acetate | ND | < 500 | | 1610 | 1630 | µg/g | 98.8 | 70 | - 130 |
| 1-Pentanol | ND | < 500 | | 1460 | 1620 | µg/g | 90.1 | 70 | - 130 |
| Butyl Acetate | ND | < 500 | | 1620 | 1620 | µg/g | 100.0 | 70 | - 130 |
| Ethylbenzene | ND | < 200 | | 818 | 969 | µg/g | 84.4 | 60 | - 120 |
| m,p-Xylene | ND | < 200 | | 724 | 994 | µg/g | 72.8 | 60 | - 120 |
| o-Xylene | ND | < 200 | | 687 | 967 | µg/g | 71.0 | 60 | - 120 |
| Cumene | ND | < 30 | | 97.2 | 171 | µg/g | 56.8 | 60 | - 120 Q6 |
| Anisole | ND | < 500 | | 1520 | 1630 | µg/g | 93.3 | 70 | - 130 |
| DMSO | ND | < 500 | | 1610 | 1680 | µg/g | 95.8 | 70 | - 130 |
| 1,2-dimethoxyethane | ND | < 50 | | 176 | 169 | µg/g | 104.1 | 70 | - 130 |
| Triethylamine | ND | < 500 | | 1560 | 1630 | µg/g | 95.7 | 70 | - 130 |
| N,N-dimethylformamide | ND | < 150 | | 453 | 482 | µg/g | 94.0 | 70 | - 130 |
| N,N-dimethylacetamide | ND | < 150 | | 415 | 510 | µg/g | 81.4 | 70 | - 130 |
| Pyridine | ND | < 50 | | 209 | 203 | µg/g | 103.0 | 70 | - 130 |
| Sulfolane | ND | < 50 | | 172 | 172 | µg/g | 100.0 | 70 | - 130 |
| 1,2-Dichloroethane | ND | < 1 | | 1.16 | 1 | µg/g | 116.0 | 70 | - 130 |
| Chloroform | ND | < 1 | | 1.17 | 1 | µg/g | 117.0 | 70 | - 130 |
| Trichloroethylene | ND | < 1 | | 1.18 | 1 | µg/g | 118.0 | 70 | - 130 |
| 1,1-Dichloroethane | ND | < 1 | | 1.1 | 1 | µg/g | 110.0 | 70 | - 130 |



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-00025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

| QC - Sample Duplicate | | Sample ID: 22-015692-0001 | | | | | | |
|-----------------------|--------|---------------------------|-----|-------|-----|--------|-------------|-------|
| Analyte | Result | Org. Result | LOQ | Units | RPD | Limits | Accept/Fail | Notes |
| Propane | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Isobutane | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Butane | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| 2,2-Dimethylpropane | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Methanol | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Ethylene Oxide | ND | ND | 30 | µg/g | 0.0 | < 20 | Acceptable | |
| 2-Methylbutane | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Pentane | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Ethanol | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Ethyl Ether | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| 2,2-Dimethylbutane | ND | ND | 30 | µg/g | 0.0 | < 20 | Acceptable | |
| Acetone | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| 2-Propanol | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Ethyl Formate | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| Acetonitrile | ND | ND | 100 | µg/g | 0.0 | < 20 | Acceptable | |
| Methyl Acetate | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| 2,3-Dimethylbutane | ND | ND | 30 | µg/g | 0.0 | < 20 | Acceptable | |
| Dichloromethane | ND | ND | 60 | µg/g | 0.0 | < 20 | Acceptable | |
| 2-Methylpentane | ND | ND | 30 | µg/g | 0.0 | < 20 | Acceptable | |
| MTBE | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| 3-Methylpentane | ND | ND | 30 | µg/g | 0.0 | < 20 | Acceptable | |
| Hexane | ND | ND | 30 | µg/g | 0.0 | < 20 | Acceptable | |
| 1-Propanol | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| Methyl ethyl ketone | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| Ethyl acetate | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| 2-Butanol | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Tetrahydrofuran | ND | ND | 100 | µg/g | 0.0 | < 20 | Acceptable | |
| Cyclohexane | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| 2-methyl-1-propanol | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| Benzene | ND | ND | 1 | µg/g | 0.0 | < 20 | Acceptable | |
| Isopropyl Acetate | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Heptane | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| 1-Butanol | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| Propyl Acetate | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| 1,4-Dioxane | ND | ND | 100 | µg/g | 0.0 | < 20 | Acceptable | |
| 2-Ethoxyethanol | ND | ND | 30 | µg/g | 0.0 | < 20 | Acceptable | |
| Methylisobutylketone | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| 3-Methyl-1-butanol | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| Ethylene Glycol | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Toluene | ND | ND | 100 | µg/g | 0.0 | < 20 | Acceptable | |
| Isobutyl Acetate | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| 1-Pentanol | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| Butyl Acetate | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| Ethylbenzene | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| m,p-Xylene | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| o-Xylene | ND | ND | 200 | µg/g | 0.0 | < 20 | Acceptable | |
| Cumene | ND | ND | 30 | µg/g | 0.0 | < 20 | Acceptable | |
| Anisole | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| DMSO | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| 1,2-dimethoxyethane | ND | ND | 50 | µg/g | 0.0 | < 20 | Acceptable | |
| Triethylamine | ND | ND | 500 | µg/g | 0.0 | < 20 | Acceptable | |
| N,N-dimethylformamide | ND | ND | 150 | µg/g | 0.0 | < 20 | Acceptable | |
| N,N-dimethylacetamide | ND | ND | 150 | µg/g | 0.0 | < 20 | Acceptable | |
| Pyridine | ND | ND | 50 | µg/g | 0.0 | < 20 | Acceptable | |
| Sulfolane | ND | ND | 50 | µg/g | 0.0 | < 20 | Acceptable | |
| 1,2-Dichloroethane | ND | ND | 1 | µg/g | 0.0 | < 20 | Acceptable | |
| Chloroform | ND | ND | 1 | µg/g | 0.0 | < 20 | Acceptable | |
| Trichloroethylene | ND | ND | 1 | µg/g | 0.0 | < 20 | Acceptable | |
| 1,1-Dichloroethane | ND | ND | 1 | µg/g | 0.0 | < 20 | Acceptable | |

Abbreviations

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation
- Q1 - Quality control result biased high. Only non-detect samples reported.
- Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31





12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000025/D004.R000
Report Date: 01/19/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/03/23 10:31

Explanation of QC Flag Comments:

| Code | Explanation |
|------|---|
| Q | Matrix interferences affecting spike or surrogate recoveries. |
| Q1 | Quality control result biased high. Only non-detect samples reported. |
| Q2 | Quality control outside QC limits. Data considered estimate. |
| Q3 | Sample concentration greater than four times the amount spiked. |
| Q4 | Non-homogenous sample matrix, affecting RPD result and/or % recoveries. |
| Q5 | Spike results above calibration curve. |
| Q6 | Quality control outside QC limits. Data acceptable based on remaining QC. |
| R | Relative percent difference (RPD) outside control limit. |
| R1 | RPD non-calculable, as sample or duplicate results are less than five times the LOQ. |
| R2 | Sample replicates RPD non-calculable, as only one replicate is within the analytical range. |
| LOQ1 | Quantitation level raised due to low sample volume and/or dilution. |
| LOQ2 | Quantitation level raised due to matrix interference. |
| B | Analyte detected in method blank, but not in associated samples. |
| B1 | The sample concentration is greater than 5 times the blank concentration. |
| B2 | The sample concentration is less than 5 times the blank concentration. |